

HD36

Bright super-sized images
any time of day

- Full HD 1080p image quality
- Bright vivid colours – 3,000 ANSI lumens
- Easy connectivity - HDMI and DVI and powerful built-in 30W speaker
- Dynamic black technology - 30,000:1 contrast ratio



HD36

Bright super-sized images any time of day

The HD36 couples high-end home cinema performance with bright, vibrant visuals to produce Full HD 1080p viewing without dimming the lights. Perfect for watching TV shows, sports and movies or playing action-packed games on a huge screen any time of day.

For a speedy setup, the HD36 includes both HDMI and DVI connections and a powerful built-in speaker that can easily fill any living space.

Vertical Lens shift

Simplify installation with vertical lens shift, which provides a wider range of projector placement possibilities. This makes it easier to position the projector in your room and enables a wider range of screen size options.

Full HD 1080p

1080p resolution gives you sharp and detailed images from HD content without downscaling or compression; perfect for watching Blu-ray movies, HD broadcasting and playing video games.



Full 3D

Optoma projectors can display true 3D content from almost any 3D source, including 3D Blu-ray players, 3D broadcasting and the latest generation games consoles. Support for 144Hz rapid refresh rate provides ultra-smooth flicker free images.



Gaming Mode

Gaming Mode optimises your projector for lightning response times, maximum contrast and vivid colours to capture every detail - leaving you time to focus on winning.



Integrated Speaker

Complete your home entertainment experience with the convenience of a powerful built-in speaker. Built-in speakers provide exceptional sound quality and are easy to set up without the need for costly external speakers.

Dynamic Black

This feature gives more depth to your image by smoothly adjusting the lamp output, based on the brightness information of each frame; to create a stunning high contrast ratio. Bright scenes appear crisp and clear, while dark scenes remain detailed with deep blacks and exceptional light and shade detail.



2,000:1

30,000:1

24p

Most movies are shot at 24 frames per second (fps). To preserve the purity of the original image, Optoma projectors can accept high definition sources at 24 fps to display movies exactly as the director intended.

Amazing Colours

For vibrant, natural looking images, Optoma projectors incorporate BrilliantColor™ multi-colour processing technology.



Color Guarantee

Enjoy dazzling colours for years to come; guaranteed by Optoma for five years' consistent performance.



Wireless

Stream Full 1080p 3D content to your projector wirelessly; eliminating the hassle and extra cost of installing long cables, the WHD200 (sold separately) allows you to connect a Blu-ray™ player, set-top box, gaming console or AV receiver instantly.

USB-Power

Use the USB-Power to power an HDMI dongle, such as Google Chromecast or the Optoma WHD200 wireless HDMI device.

HD36 Specification

Weergavetechnologie	DLP
Resolutie (native)	1080p 1920 x 1080
Brightness ¹ (Bright Mode)	3000 ANSI Lumens
Contrast	30,000:1
Geluidsniveau	27dB
Lamp Type	310W
Lamp Life ² Dynamic/Eco/Bright	4000/3500/2500 (hrs)
Throw ratio	1.37 - 2.05:1
Zoom Type	1.5x Manual
Projectielens	F/2.42~2.98; f=20.77~31.173mm, 1.5x Manual Zoom
Grootte projectiescherm	0.76 - 7.67m (30" - 300") Diagonal 16:9
Projectie-afstand	1.2 - 10m
Beeldverhouding	16:9 Native, 4:3 Compatible
Lensshift	Vertical: +20% (constraints apply see user manual for details)
Keystone correctie	±40° Vertical
Gewicht	4.5
Afmetingen (B x D x H) (mm)	386 x 280 x 162
Input-/outputconnectoren	HDMI (1.4a 3D support), DVI-D, 2x VGA (RGB/YpBPr), S-Video, Composite, 3 x Audio In (RCA/3.5mm), Mic 3.5mm, Audio Out 3.5mm, VGA Out, RS232, 2x USB-B (Remote Mouse/Service), USB-A Power, +12v Trigger
Speaker	30
Audio	30W stereo (2x15W)
Maximale resolutie	1080p
Computercompatibiliteit	UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac
Videocompatibiliteit	NTSC M/J, 3.58MHz, 4.43MHz PAL B/D/G/H/I/M/N, 4.43MHz SECAM B/D/G/K1/L, 4.25/4.4MHz 480i/p, 576i/p, 720p(50/60Hz), 1080i(50/60Hz), 1080p(50/60Hz)
Kleurbereik	1073.4 Million
3D-ondersteuning	The 3D features of Optoma projectors can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling systems. 3D TV broadcast systems, (SKY in the UK), Blu-ray 3D™ and 3D games from the Sony® PS3 or Microsoft® Xbox 360 are now supported as part of the HDMI v1.4a specification.
3D-compatibiliteit	Side-by-Side: 1080i50 / 60, 720p50 / 60 Frame-pack: 1080p24, 720p50 / 60 Over-Under: 1080p24, 720p50 / 60
3D-kijkervaring	Requires Optoma ZF2100 system - sold separately
Horizontale scansnelheid	15.375~91.146 KHz
Verticale scansnelheid	24~ 85 Hz (120Hz for 3D)
Stroomvoorziening	Input: 110 - 220v
Stroomverbruik	345W BRIGHT mode < 0.5W Standby mode, 279W Eco mode < 0.5W Standby mode
Gebrieksomstandigheden	5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m
Uniformiteit	80%
Beveiliging	Security Bar, Kensington Lock
On Screen Display	27 Languages: English, Deutsch, Français, Italiano, Español, Português, Svenska, Nederlands, Norsk, Dansk, Polski, Русский, Suomi, ελληνικά, Magyar, Čeština, عربي, 繁體中文, 簡體中文, 日本語, 한국어, 越南語, Türkçe, Farsi, Vietnamese, Romanian, Indonesian
Afstandsbediening	Full function remote with direct source selecting and backlight
Standaard accessoires	AC Power Cord, Back-lit IR Remote Control with Batteries, Quick Start Card, CD User Manual, Warranty Card
Optionele accessoires	Ceiling Mount, Screen
Optional Wireless	Ja
360° Operation	115 ~ 132
Garantie	2 Years
RoHS	Compliant
Features	V. Lens Shift



Optoma Europe Ltd.

42 Caxton Way, Watford Business Park, Watford, Hertfordshire, UK. WD18 8QZ

www.optoma.co.uk

¹Lamp based projectors brightness and lifetime will vary depending on selected projector mode, environmental conditions and usage. As is common with all lamp based projectors, brightness will decrease over the lamp lifetime. LED projectors do not have a replaceable lamp and the brightness does not decay significantly over the product lifetime. ²Typical lamp life achieved through testing. Will vary according to operational use and environmental conditions. DLP®, and the DLP logo are registered trademarks of Texas Instruments. All other product names and company names used herein are for identifications purposes only and may be trademarks or registered trademarks of their respective owners. All images of products are for representation purposes only. Whilst every care is taken to provide accurate images of our products, actual products may differ slightly. Some product images may have been digitally altered by us to add an Optoma logo to the front panel. Optoma reserves the right to amend or alter actual product or product images without notice. Some images may have been simulated. Errors and omissions excepted, all specifications are subject to change without notice. Copyright © 2014, Optoma Europe Ltd.

08/04/2016 00:28